

TECHNICAL DATA

- Appearance: Clear liquid
- S G: 1.03 Approximately
- pH: 10.9
- Stability: stable to continued freeze/thaw cycles.

NOTE

BLUE OCEAN EXTREME™ contains free alkalinity, care should be taken on painted surfaces. Aluminium surfaces may become dull after continued cleaning with **BLUE OCEAN EXTREME™**

SAFETY PRECAUTIONS

BLUE OCEAN EXTREME™ contains alkaline material. Avoid contact with eyes and prolonged contact with skin. In case of accidental contact, rinse freely with water and obtain medical attention.

ADVANTAGES

- Economical - concentrated formula
- Free rinsing
- High foaming
- Easily dispersed into foam, high pressure and steam cleaning equipment
- High solvency
- Biodegradable

USE DIRECTIONS

For General degreasing:




Dilute 1:4 High Concentrate, 1:20 Medium Concentrate and 1:50 Low Concentrate

1. Cover area to be degreased with the diluted mixture.
2. Allow sufficient time for the product to penetrate oil or dirt. If this is not possible apply the product with a hard broom or foamer.
3. Rinse with high pressure.
4. Ambient temperature will increase product efficacy!
5. Do not apply to surfaces hotter than 63.8 degrees °C.

Disposal Considerations:
(As per international Oil & Gas Regulations)

Product: Do not dispose waste into a sewer. Do not contaminate ponds, waterways or ditches with chemical or used container.

Contaminated Packagings:
Empty remaining contents.
Dispose of unused product in accordance with regulations.



RECOMMENDED USES:

Use for heavy load of grease, oil and particulate soiling. It is always more effective to remove extremely thick soils by mechanical means before using a degreaser

RECOMMENDED USES:

Use for cleaning engines and equipment with a moderate visible greasy particulate soiling

RECOMMENDED USES:

Use for foaming on ore trucks, tankers etc. to remove light grease and road film



Blue Ocean™
Extreme

WATER BASED DEGREASER

BLUE OCEAN EXTREME™ is an alkaline foaming liquid containing biodegradable solvents, grease cutters, emulsifiers and penetrants for efficient oil and grease removal. It can be mixed with water for lowest usage costs and efficiency.

BLUE OCEAN EXTREME™ being an extremely versatile product, can be used safely on most surfaces for removing a wide variety of oils.

BLUE OCEAN EXTREME™ is formulated to effectively clean industrial equipment and machinery such as: oil casing, drill pipes, gearboxes, engines, pumps, compressors, rig floors, cables, tools and etc.

BLUE OCEAN EXTREME™ can be applied by high pressure foamers and steam cleaning equipment, or simply by hand with the aid of a cloth, mop or brush.



PLEASE RECYCLE
CONTAINER

54 Edmonds Road, Glenwood 4001, Kwa-Zulu Natal
Republic of South Africa
Tel: +27 31 832 3934



Blue Ocean™
Extreme

The logo features a stylized blue wave icon above the brand name. 'Blue Ocean' is in a bold, blue, sans-serif font, and 'Extreme' is in a red, cursive script font.



Blue Ocean™

Extreme

**Water Based
Degreaser**